L Number	Hits	Search Text	DB	Time stamp
2	2	6587995.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/30 12:20
-	1	(configurable adj processor) and monitor and (instruction near5 insert$3) and state and (dependenc$3 or interdependenc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/30 12:19
-	13	(configurable adj processor) and tool and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/24 17:45
-	226	717/124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	133	717/125.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	179	717/128.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	176	717/131.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	36	717/132.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	33	717/133.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:35
-	361	712/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36
-	229	712/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36
-	422	714/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36

-	389	714/11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36
-	160	714/12.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36
-	269	714/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:36
-	1002	714/38.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:37
-	285	714/45.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:37
-	347	714/46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:37
-	1	714/46.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:42
-	1	717/124.ccls. and (configur$4 adj processor) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 07:43
-	1	717/124.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:39
-	2	712/227.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:39
-	1	712/209.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:40
-	3	714/10.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:40
-	3	714/11.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:41

-		2	714/37.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:41
-		1	714/38.ccls. and (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:42
-		74	configurable adj (processor or pu or (processing adj unit)) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:47
-		91	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 08:48
-		57	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state and (debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) and (dependen$4 or inter-dependen$4 or (inter adj dependen$4) or interdependen$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:10
-		1	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3)near3 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen$4 or inter-dependen$4 or (inter adj dependen$4) or interdependen$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:25
-		1	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen$4 or inter-dependen$4 or (inter adj dependen$4) or interdependen$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:28
-		1	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:29
-		19	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:30
-		19	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3)same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:39
-		18648	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) near3 state and (pu or processor or microprocessor or (processing adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:42
-		4636	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) near3 state same (pu or processor or microprocessor or (processing adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:44
-		355	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) adj state near3 (pu or processor or microprocessor or (processing adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:45

-	10	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 717/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 09:54
-	13	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 714/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:06
-	9	(debug$4 or monitor$3 or trac$3 or instrument$5 or insert$3 or simulat$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 712/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 10:06
-	29874	(access$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:55
-	49786	(debug$4 or monitor$3 or instrument$3 or access$3 or profil$3 or trac$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:56
-	59211	(debug$4 or monitor$3 or instrument$3 or access$3 or profil$3 or trac$3 or query or querying) near3 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:57
-	543	access$3 near3 processor near3 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:58
-	119	access$3 near3 processor adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:58
-	2	query adj processor adj state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:59
-	1075	debug$4 near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 14:59
-	396	debug$4 near3 processor and 7??/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:07
-	2	debug$4 near3 processor adj (creation or design or development or configuration) and 7??/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:11
-	0	debug$4 near3 (configur$4 adj processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:11

-	986	configur$4 adj processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:12
-	678	configur$4 adj processor and (test$3 or debug$4 or monitor or instrument$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 15:13
-	479	configur$4 adj processor and (test$3 or debug$4 or monitor or instrument$5) and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:13
-	10	("5450586" | "5535331" | "5748875" | "5819050" | "5854929" | "5870588" | "5999734" | "6006022" | "6182206" | "6195593").PN.	USPAT	2003/05/01 15:32
-	0	6477683.URPN.	USPAT	2003/05/01 15:37
-	5	("5303350" | "5452467" | "5635855" | "5777885" | "6272465").PN.	USPAT	2003/05/01 15:42
-	26494	state and (dependency or dependencies or interdependencies or inter-dependencies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:16
-	1253	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:28
-	325	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:32
-	260	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug$4 and 7??/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:33
-	28	processor near5 state same (dependency or dependencies or interdependencies or inter-dependencies) and debug$4 and 7??/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:35
-	0	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies) and debug$4 and 7??/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:35
-	1	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/01 16:35
-	11	("5359546" "5537560" "5841670" "6182245" "6510402" "5371883").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 08:11
-	6	("5854929" "5896521" "6142683").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 09:57

-	0	Ussery.in. and debug.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 09:58
-	27	Ussery.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 09:58
-	0	barry.in and configurable and multi-processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 09:59
-	0	barry.in and configurable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 09:59
-	120	barry.in. and configurable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:00
-	2	coprocessing/debug and barry.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/05 10:00
-	36	debug$4 near5 (configur$5 near3 (processor or pu or (processing adj unit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:20
-	49	debug$4 near5 (configur$5 near3 (processor or pu or (processing adj unit) or microprocessor or micro-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:22
-	441	debug$4 near5 ((configur$5 or program$5 or reprogram$5 or re-progrma$5) near3 (processor or pu or (processing adj unit) or microprocessor or micro-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:25
-	73	debug$4 near5 ((configur$5 or program$5 or reprogram$5 or re-progrma$5)adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:36
-	2	debug$4 near5 ((configurable or programmable or reprogrammable or re-programmable) adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 15:38
-	73	debug$4 near5 ((configur$5 or program$5 or reprogram$5 or re-progrma$5) adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 17:06
-	2	5754759.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 16:39

-	1	(analog adj devices).as. and (dinh and hoffman and kolagotla and rivin and roth and singh).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 16:40
-	111	debug$4 near5 (configur$5 or program$5 or reprogram$5 or re-progrma$5) SAME ((processor or pu or (processing adj unit) or microprocessor or micro-processor) NEAR5 STATE)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 17:08
-	6	debug$4 near5 (configurable or programmable or reprogrammable or re-programable) SAME ((processor or pu or (processing adj unit) or microprocessor or micro-processor) NEAR5 STATE)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 07:24
-	0	09506502.an. and wang.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 07:25
-	2794	wang.in. and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 07:25
-	10	wang.in. and configurable near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/19 07:25
-	4690	debug$4 and state and interpret$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:46
-	1289	debug$4 and state and interpret$3 and (access$3 or transmit$4 or send$3 or collect$3 or retriev$3 messaging) near3 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:48
-	272	embed$3 near5 debug$4 and state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:35
-	15198	state near3 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:51
-	10379	state near2 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:54
-	312	state near2 processor and ((save near3 restore) or save-and-restore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:55
-	125	state near2 processor and ((save near3 restore) or save-and-restore) and embed$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:55

-	125	state near2 processor and ((save near3 restor$3) or save-and-restor$3) and embed$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:56
-	256	state near2 processor and ((sav$3 near3 restor$3) or save-and-restor$3) and embed$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:56
-	0	(embed$3 near5 debug$4 and state) and (access$3 adj (state near2 processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:59
-	9	access$3 adj (state near2 processor) and embed$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:10
-	2	6118304.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:10
-	52	access$3 adj (state near2 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:12
-	57	embed$3 near5 debug$4 and (state near3 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:36
-	57	(embed$3 near5 debug$4 and (state near3 processor)) not (access$3 adj (state near2 processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 16:36
-	34	(state near2 processor and ((sav$3 near3 restor$3) or save-and-restor$3) and embed$4) and (debug$4 and state and interpret$3 and (access$3 or transmit$4 or send$3 or collect$3 or retriev$3 messaging) near3 state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:12
-	139	chip same ((multiple or plurality) adj core)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:13
-	1403	chip same topology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:14
-	23	retriev$3 same chip same topology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:14
-	5	chip same ((multiple or plurality) adj core) and topology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 17:17